/PAGE: 1 DOCUMENT: MSD205

MSD205 980309 09:59 7J >>MSD205 MATERIAL SAFETY DATA SHEET

PHONE: 419-435-8546 / 800-537-9527 ROPPE CORPORATION FAX: 419-435-1056 BBS: 419-435-3119 1602 N. UNION STREET

P.O. BOX 1158 FOSTORIA, OH 44830

ROP-205 MATERIAL SAFETY DATA SHEET

This Material Safety Data Sheet Complies with 29 CFR 1910.1200 OSHA Hazard Communication Standard

IDENTIFICATION:

PRODUCT NAME: ROP-205

DESCRIPTION: High-performance solvent-free cove base adhesive

TRANSPORTATION OF DANGEROUS GOODS CLASSIFICATION: N/A

UNITED NATIONS NUMBER: N/A

NOTE:

PHYSICAL DATA:

APPEARANCE: Beige paste

ODOR: Slight odor of latex

pH: 8.1

MELTING OR FREEZING POINT: 0 degrees C

BOILING POINT: > 100 degrees C VAPOR PRESSURE (mm Hg): N/A

SPECIFIC GRAVITY (water = 1): N/A SOLUBILITY IN WATER: Dispersible

VAPOR DENSITY (gir = 1): 1.4

EVAPORATION RATE: N/A

FIRE AND EXPLOSION HAZARD DATA: Flammable limits in air, % by volume.

UPPER: N/A LOVER: N/A

FLASH POINT (test method): N/A

EXTINGUISHING MEDIA: Foam, Co-2, dry chemical, and/or water spray

Special fire fighting procedures: Complete protection equipment including a self-contained breathing apparatus.

Unusual fire and explosion hazards: Not sensitive to impact Sensitivity to static electricity: Not sensitive

COMPONENT INFORMATION:

(See glossary at end of MSDS for definitions)

Component, Wt. % (CAS number)

Exposure Levels ACGIH TLV TWA: STEL (15)

This product does not contain reportable quantities of hazardous ingredients

DOCUMENT: MSD205 /PAGE: 2

-----

as defined by federal OSHA 29 CFR 1910.1200.

REACTIVITY DATA:

Stability: Stable

Hazardous polymerization: No polymerization will occur

Conditions to avoid: None msds205 page 2 of 3

Materials to avoid: None Known

Hazardous combustion or decomposition products: Not combustible, aqueous dispersion before water evaporates. At this point, the product must be treated as an organic product that is combustible. Can produce carbon monoxide and carbon dioxide.

HEALTH DATA:

Effects of exposure/toxicity data:

Acute

Ingestion (swallowing): Data not available, but no effects are suspected

under normal professional use.

Inhalation (breathing): Inhalation of the vapors should not create any

discomfort.

Skin Contact: Product could be slightly irritating to certain

individuals. Could be slightly irritating.

Eye Contact: Could be slightly irritating.
Chronic: No effects for chronic exposure are expected.

Carcinogenicity: NO Reproduction: N/E Teratogenicity: N/E

Mutagenicity: N/E
Synergicity products: N/E

Emergency and first aid procedures:

Ingestion (swallowing): Do not induce vomiting. Call a physician immediately. Inhalation (breathing): Remove patient to fresh air. Contact a physician. Skin Contact: Remove contaminated clothing and wash contaminated skin with

large amounts of water. If irritation persists, contact a

physician.

Eye Contact: Flush eyes with water for at least 15 minutes while holding

eyelids open. Contact a physician immediately.

SPILL OR LEAK PROCEDURE:

Steps to be taken if material is released or spilled:

Wear protective equipment. Contain by diking with soil or other non-combustible

absorbent materials and put into a DOT approved waste container.

Waste disposal method: Dispose in accordance with local, state and federal environmental regulation:

SPECIAL PROTECTION INFORMATION:

Respiratory Protection: Not required

Ventilation: Use in a well ventilated area.

Protective Gloves: Impervious gloves. Eye Protection: Safety glasses DOCUMENT: MSD205 

Other Protective Equipment: As needed to minimize exposure.

SPECIAL PRECAUTIONS: Precautions to be taken in handling and storing: Store at room temperature (20 degrees C). Do not refrigerate. Stable to freeze/thaw for five cycles at -18 degrees C.

GLOSSARY:

ACGIH: American Conference of Government Industrial Hygenists

Chemical Abstract Service CAS:

Occupational Safety and Health Administration (USA) OSHA:

Threshold limit value TLV:

8 hour time weighted average TWA:

Short-term exposure level: 15 minutes TWA Not applicable STEL:

N/A: Not established N/E:

Date: March 30, 1993

Code: 28A3

ROPPE CORPORATION

1602 N. UNION STREET, PO BOX 1158

FOSTORIA, OHIO 44830

FAX: 514-662-0444

IN CANADA: 613-996-6666 (Canutec)

IN USA: 800-424-9300 (Chemtrec)

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. ROPPE assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.